


## Mira Low Rise Platform Lifts



### Features

- Platform Sizes Conform to BS 6440
- Suitable for Domestic and Public Access
- Variety of Finish and Colour Options
- Internal or External Use
- Single Phase 230V
- Simple Installation
- Anti-Corrosion Warranty
- Free-Standing

There are many environments where easy access for wheelchair users or those with limited mobility is required. The perfect solution for this, when an inclined step lift is not the best option, is a Niche Mira enclosed low rise (up to 1000mm of travel) vertical platform lift.

The widely chosen Niche Mira Low Rise Platform Lifts are designed specifically for transporting passengers in buildings with split levels. They can be used as a means to overcome access problems for those who experience issues with scaling steps, or as a way of moving general passengers from a pavement level to an upper or lower floor.

All Niche Mira Low Rise Platform Lifts are fully compliant with the Machinery Directive 2006/42/EC and carry the fully recognised CE marks. They are ideal for helping businesses achieve the requirements of the Equality Act, or for individuals wishing to make private residences more accessible.



Free-standing Niche Mira Low Rise Vertical Platform Lifts offer customers various installation options, allowing them to integrate easily with many building styles and configurations. They do not require a pit, installation is fast and trouble-free, and they require little or no structural modifications. Additionally, the lifting platforms can be easily converted into step lifts by adding an innovative bridging device. This allows access for wheelchair users for up to four steps (1m).

Equipped with automatic wheelchair ramps, side hand rails, hold-to-run platform controls and an upper level access interlock gate (depending on the travel distance), our low rise vertical platform lifts are a safe and reliable solution to low rise access needs.

They are suitable for both internal and external environments. The external version is open and has full infill side barriers, fitted to the non-access side. All materials are fully weatherproofed and benefit from a five year anti-corrosion warranty.

### Benefits

- Shallow ramp for easy access
- Easy to use in-car controls
- Safe and robust non-slip flooring
- Landing call stations
- Emergency manual lowering
- Interlocked safety gate at upper level
- Minimal building works
- Fast to install
- Options for internal or external installation
- Automatic safety stop and overload features

<b>Model Type:</b>	Low rise lifting platform	<b>Platform:</b>	Available in 800mm or 900mm width. 1100mm high side rails with open panels. Automatic powered folding ramp. Finish blue 700 Sable as standard
<b>Rated Load:</b>	300kg capacity	<b>Options:</b>	- Manual self closing gate with interlock at upper level - Steel or glass infill panel to gate - Perspex infill panels to platform sides - Two way key switching to upper/lower controls - Wall mounted controls
<b>Rated Speed:</b>	20mm/sec	<b>Standards:</b>	BS6440:1999 The Supply of Machinery (Safety) Regulations 2008
<b>Drive Type:</b>	Electro-hydraulic	<b>Documentation:</b>	Notes: Owners guide issued on completion. 1500mm of clear space is recommended at the entrance and exit points of the lift for access. A minimum of 2000m is required above the threshold height.
<b>Platform Dimensions:</b>	1450mm x 800mm or 1450mm x 900mm		
<b>Footprint Size:</b>	1890mm x 1004mm or 1890mm x 1104mm		
<b>Required Width:</b>	1304mm or 1404mm width required to comply with BS6440		
<b>Power Supply:</b>	230v, 1 phase, 50hz		
<b>Travel:</b>	Up to 1000mm free standing or 935mm pit mounted		
<b>Pit:</b>	Either free standing or a 60mm pit		
<b>Controls:</b>	Post mounted call stations at the upper and lower levels. Rocker switch with emergency stop on the platform. Hold to run operation.		
<b>Safety Features:</b>	Platform and ramp safety sensitive devices as standard. Manual emergency lowering.		



If you need advice, or want to talk about any of our products and how to achieve your desired objective, we are here to help.

We won't ask for any commitment, and we offer helpful, friendly guidance to assist you with the most cost-effective and advantageous platform lift solutions for you and your business.

**Call us now to discuss the best solution for you – 020 8295 2852**

Niche Lifts Ltd  
Office 15-16  
12 Farwig Lane  
Bromley Kent  
BR1 3RB

Tel: 020 8295 2852  
Fax: 020 8466 1695  
sales@nichelifts.com  
www.nichelifts.com